


VZ 200-300
HUNTER VALLEY
VZ JOURNAL



PRODUCED BI-MONTHLY BY H.V.VZ.U.G.
A NON PROFIT ORGANIZATION

FRONT COVER

SHOULD THE JOURNAL CATER FOR IBM TYPE COMPUTERS LIKE SOME MEMBERS HAVE SUGGESTED? I'M INTERESTED IN YOUR OPINION. IN THE MEANTIME READ MY COMMENTS ON PAGE 3 ON THE SUBJECT, ED.

HELP - SELL & TELL

Page 3

CONDOLENCES, FAREWELL HARRY, IS THE END OF THE VZ NEAR?, WANTED TO BUY AND SYSTEM FOR SALE.

VZ BUS MOUSE PART 3 BY L MILBURN Pages 4-10

THIS IS THE FINAL PART ON THE BUS MOUSE SERIES. ANYONE WANTING THE MOUSE DRIVER AND SOURCE CODE PLEASE CONTACT THE EDITOR.

**CHECKDISK2 & PARK2
BY DAVE MITCHELL**

Pages 11-14

AFTER A LONG ABSENCE WE WELCOME DAVE BACK WITH A COUPLE OF UPDATED UTILITIES. CHKDSK2 HAS A RE-ENTER OPTION AMONG OTHER IMPROVEMENTS WHILE PARK2 IS FOR 2 DRIVE USE AND CAN ALSO BE USED ON SINGLE DRIVES.

CONVERTING SOURCE CODE UPDATE

Page 14

DAVE MITCHELL HAS BEEN BUSY, HIS EDITOR ASSEMBLER WILL LOAD ALL FOUR SOURCE CODE TYPES WITH NO MODIFICATION AT ALL.

EXT12.2 UPDATE

Page 14

AT MY SUGGESTION LESLIE MILBURN HAS ADDED A COUPLE COMMANDS TO EXT12.1, HENCE THE NAME CHANGE.

**INTRODUCTION TO PROGRAMMING
BY BOB KITCH**

Pages 15-17

AFTER SOME REQUESTS BOB WILL TRY AND HELP AND EXPLAIN WHAT PROGRAMMING IS ALL ABOUT AND HOW TO DO IT PROPERLY.

UNDERSTANDING COMPUTER TECHNOLOGY Page 17

THE BEST EXPLANATION OF COMPUTER TECHNOLOGY I HAVE SEEN IN A LONG TIME.

TECHNICAL DATA SHEETS # 5 & 6 Pages 18-19

TWO VZ200 PRINTER INTERFACES FOR THOSE WITHOUT A VZ TECHNICAL REFERENCE MANUAL AND DECODING Z80 64K MEMORY.

**DAVE MITCHELL SOFTWARE FOR SALE
PATCH3.3 - EXT DOS
MENU/FILE COPIER**

Page 20

USER GROUPS * NEWS * SUBSCRIPTIONS

Page 20

BELIEVE IT OR NOT

WE ALL HEARD STORIES ABOUT THE POSTAL SERVICE AND HOW LONG IT TAKES TO GET MAIL FROM ONE PLACE TO ANOTHER. I POSTED A JOURNAL TO SYDNEY (160 KM) IN DECEMBER 1991 AND IT ARRIVED IN JANUARY 1993. CAN ANYONE BEAT THAT?

DISCLAIMER: EVERY EFFORT IS MADE TO INSURE THE ACCURACY OF INFORMATION CONTAINED WITHIN BE IT GENERAL, TECHNICAL, PROGRAMMING, ETC. NO RESPONSIBILITY CAN BE ACCEPTED BY HUNTER VALLEY VZ USERS' GROUP OR AUTHOR AS A RESULT OF APPLYING SUCH INFORMATION IN PRACTICE.

COPYRIGHT: THE HUNTER VALLEY VZ JOURNAL IS SUBJECT TO COPYRIGHT AND NO MATERIAL IN THE JOURNAL MAY BE REPRODUCED IN PART OR WHOLE WITHOUT THE CONSENT OF THE HUNTER VALLEY USERS' GROUP OR THE AUTHOR WHO RETAINS COPYRIGHT.

CONDOLENCES: OUR CONDOLENCES GO TO THE FAMILY AND FRIENDS OF NEVILLE HUGHES WHO PASSED AWAY RECENTLY. NEVILLE, ALTHOUGH IN HIS SEVENTIES WAS A VERY ACTIVE VZ USER AND WILL BE SADLY MISSED.

FAREWELL HARRY & VEE ZEDD DOWN UNDER

AFTER 4.5 YEARS AS EDITOR OF VEE ZEDD DOWN UNDER, HARRY HUGGINS HAS DECIDED TO RETIRE FROM EDITING WITH NEXT ISSUE BEING THE LAST. ON BEHALF OF ALL VZ USERS I WISH HARRY A FULL RECOVERY FROM HIS RECENT ILLNESS AND ALL THE BEST FOR THE FUTURE. ALSO A **BIG THANK YOU** FOR A JOB WELL DONE.

IS THE END OF THE VZ NEAR?

AS THERE WERE NO TAKERS FOR HARRY'S JOB IT WAS DECIDED TO MERGE VEE ZEDD DOWN UNDER WITH THE HUNTER VALLEY VZ JOURNAL WHICH WILL MAKE IT THE LAST VZ PUBLICATION LEFT IN AUSTRALIA. IT IS UNFORTUNATE THAT BOTH MAGAZINES SURVIVAL HAS DEPENDED SOLELY ON THEIR EDITORS.

FOR A COUPLE YEARS NOW I HAVE BEEN PRODUCING THE JOURNAL FROM START TO FINISH ON MY OWN AND THE LAST 18 MONTHS IN MY BEDROOM UNDER DIFFICULT CIRCUMSTANCES AS MY BROTHER IS A SHIFTWORKER. MY INTENTION IS TO KEEP PRODUCING THE JOURNAL FOR AS LONG AS I CAN AND WHILE THE DEMAND IS THERE.

PICKING UP EXTRA MEMBERS FROM VEE ZEDD DOWN UNDER WILL MAKE THE JOURNAL A MORE VIABLE PROPOSITION. THE SUPPORT OF REMAINING MEMBERS VIA THEIR SUBSCRIPTIONS AND ARTICLES IS VITAL TO THE JOURNAL'S CONTINUED EXISTENCE.

OUR LOCAL CLUB MEETINGS HAVE BECOME IBM ORIENTATED WITH NOT A VZ IN SIGHT UNLESS THE MEETING IS AT MY PLACE. IT HAS BEEN SUGGESTED THAT THE JOURNAL CATER FOR OTHER COMPUTER SYSTEMS LIKE THE IBM. PERSONALLY I CANNOT SEE THE SENSE IN IT AS COMPUTERS LIKE THE IBM HAVE MASSIVE HARDWARE, SOFTWARE, AND TECHNICAL SUPPORT, ETC, ETC.

LET US NOT FORGET THAT ORIGINALLY VZ USER GROUPS AND PUBLICATIONS LIKE THE VZ 200-300 HUNTER VALLEY JOURNAL, VZ DOWN UNDER WERE FORMED TO GIVE ADDITIONAL SUPPORT TO THAT AVAILABLE FROM DICK SMITH. NOW MORE THAN EVER THE VZ NEEDS ALL THE SUPPORT IT CAN GET.

NOTE: WORK HAS STARTED ON MY HOUSE AND SHOULD BE TO LOCK UP STAGE BY THE TIME YOU GET THIS ISSUE AND IS ONE REASON WHY THIS ISSUE IS LATE, ED.

WANTED TO BUY 64K RAM PACK - CONTACT

STEPHEN GAYST 2/118-122 PACIFIC HWAY ROSEVILLE 2069 (02) 416 6714

VZ SYSTEM FOR SALE - CONTACT

JACK SHEARSMITH 95 MODILLION AVE RIVERTON 6148

- 1 OFF VZ, POWER SUPPLY AND 16K MEM EXPANSION
- 1 OFF DISK DRIVE, DISK CONTROLLER AND POWER SUPPLY
- 1 OFF WORD PRO CARTRIDGE

ALL NECESSARY MANUALS, SEVERAL DICK SMITH BOOKS ON PROGRAMS, TECHNICAL MANUAL, AND ALL THE VZ USER MAGAZINES AND SEVERAL DISKS.

COST: ABOUT \$150.00 PLUS POSTAGE

FUNCTION 25 - GET ALTERNATE SUBROUTINE ADDRESS.

PARAMETERS: M1% = 25
 M3% = CALL MASK.
RETURN VALUES: M1% = ERROR FLAG (-1 IF ERROR)
 M3% = CALL MASK
 M4% = SUBROUTINE ADDRESS.

DESCRIPTION: THIS FUNCTION RETURNS THE SUBROUTINE ADDRESS WHICH IS IDENTIFIED BY THE SPECIFIED CALL MASK. THE MASK DEFINITION WAS DESCRIBED IN FUNCTON 24.

FUNCTION 28 - SET MOUSE INTERRUPT RATE.

PARAMETERS: M1% = 28
 M2% = POLLING RATE
RETURN VALUES: NONE.

DESCRIPTION: THIS FUNCTION SETS THE NUMBER OF TIMES THE MOUSE IS POLLED EACH TIME AN INTERRUPT OCCURS. NOTE THAT THIS IS NOT DIRECTLY EQUIVALENT TO THE MICROSOFT FUNCTION 28.

FUNCTION 30 - GET CRT PAGE NUMBER.

PARAMETERS: M1% = 30
RETURN VALUES: M2% = CRT PAGE OF CURRENT CURSOR DISPLAY.

DESCRIPTION: THIS FUNCTION CURRENTLY RETURNS PAGE 0 AS ONLY MODE 0 IS SUPPORTED.

FUNCTION 31 - DISABLE MOUSE DRIVER.

PARAMETERS: M1% = 31
RETURN VALUES: M1% = ERROR STATUS (-1 IF ERROR)

DESCRIPTION: THIS FUNCTION DISABLES THE MOUSE INTERRUPT ROUTINE. NOTE THAT THE DRIVER IS NOT UNLOADED FROM MEMORY.

FUNCTION 32 - ENABLE MOUSE DRIVER.

PARAMETERS: M1% = 32
RETURN VALUES: AS PER FUNCTION 0.

DESCRIPTION: THIS FUNCTION ENABLES THE MOUSE DRIVER INTERRUPT ROUTINE.

FUNCTION 35 - GET LANGUAGE NUMBER.

PARAMETERS: M1% = 35
RETURN VALUES: M2% = CURRENT LANGUAGE NUMBER.

DESCRIPTION: THIS FUNCTION RETURNS THE NUMBER OF THE LANGUAGE CURRENTLY SET IN THE DRIVER. (0 = ENGLISH).

FUNCTION 36 - GET DRIVER VERSION AND MOUSE TYPE.

PARAMETERS: M1% = 36
RETURN VALUES: M2% = DRIVER VERSION.
 M3% = MOUSE TYPE IN UPPER BYTE.

DESCRIPTION: THIS FUNCTION RETURNS THE VERSION OF THE DRIVER INSTALLED AND THE TYPE OF MOUSE. NOTE THAT THIS FUNCTION IS NOT DIRECTLY EQUIVALENT TO THE MICROSOFT FUNCTION 36.

FUNCTION 38 - GET MAXIMUM VIRTUAL COORDS.

PARAMETERS: M1% = 38
RETURN VALUES: M2% = MOUSE ENABLED FLAG.
M3% = MAXIMUM HORIZONTAL COORD.
M4% = MAXIMUM VERTICAL COORD.

DESCRIPTION: THIS FUNCTION RETURNS THE MAX HORIZONTAL AND VERTICAL COORDS FOR THE CURRENT SCREEN MODE.

FUNCTION 39 - GET SCREEN/CURSOR MASKS AND MOTION COUNTS.

PARAMETERS: M1% = 39
RETURN VALUES: M1% = SCREEN MASK
M2% = CURSOR MASK
M3% = HORIZONTAL MOTION COUNT.
M4% = VERTICAL MOTION COUNT.

DESCRIPTION: THIS FUNCTION RETURNS THE SCREEN AND CURSOR MASKS (AS DESCRIBED IN FUNCTION 10) AND THE CURRENT MOTION COUNTS (NOTE THAT THESE ARE NOT RESET AFTER THIS FUNCTION IS CALLED).

FUNCTION 40 - SET VIDEO MODE.

PARAMETERS: M1% = 40
M3% = VIDEO MODE
RETURN VALUES: M3% = ERROR FLAG. (0 = SUCCESS)

DESCRIPTION: THIS FUNCTION SETS THE DRIVERS VIDEO MODE TO THE SPECIFIED MODE, IF IT IS VALID.

FUNCTION 41 - LIST VIDEO MODES.

PARAMETERS: M1% = 41
M3% = FIND MODE (0 = FIND FIRST)
RETURN VALUES: M3% = FOUND VIDEO MODE NUMBER
M4% = POINTER TO STRING DESCRIPTION.

DESCRIPTION: THIS FUNCTION LISTS ALL VIDEO MODES SUPPORTED BY THE DRIVER. ONCE ALL MODES HAVE BEEN LISTED M3% = -1. M4% POINTS TO A 0 BYTE TERMINATING STRING DESCRIPTION OF THE FOUND VIDEO MODE.

FUNCTION 49 - GET MIN/MAX COORDS.

PARAMETERS: M1% = 49
RETURN VALUES: M1% = MIN HORIZONTAL POS.
M2% = MIN VERTICAL POS.
M3% = MAX HORIZONTAL POS.
M4% = MAX VERTICAL POS.

DESCRIPTION: THIS FUNCTION RETURNS THE MIN AND MAX COORDS FOR THE CURRENT VIDEO MODE, AS SET BY FUNCTIONS 7 & 8. IF THESE FUNCTIONS HAVE NOT BE CALLED THEN THE ABSOLUTE MIN AND MAX COORDS ARE RETURNED.

FUNCTION 50 - GET ACTIVE ADVANCED FUNCTIONS.

PARAMETERS: M1% = 50
RETURN VALUES: M1% = ACTIVE FUNCTIONS FLAG.

DESCRIPTION: THIS FUNCTION RETURNS 16 FLAGS (BITS) THAT INDICATE ACTIVE ADVANCED FUNCTIONS. THE MOST SIGNIFICANT BIT OF M1% IS SET IF FUNCTION 37 IS AVAILABLE OTHERWISE IT IS RESET. THE LEAST SIGNIFICANT BIT OF M1% CORRESPONDS TO FUNCTION 52 AND IS SET IF FUNCTION 52 IS AVAILABLE.

MICROSOFT MOUSE FUNCTIONS NOT SUPPORTED BY THE VZ BUS MOUSE DRIVER (V1.04)

FUNCTION DESCRIPTION

9	SET GRAPHICS CURSOR BLOCK.
13	LIGHT PEN EMULATION ON.
14	LIGHT PEN EMULATION OFF.
15	SET MICKEY/PIXEL RATIO.
16	CONDITIONAL OFF.
19	SET DOUBLE SPEED THRESHOLD.
26	SET MOUSE SENSITIVITY.
27	GET MOUSE SENSITIVITY.
29	SET CRT PAGE NO.
33	SOFTWARE RESET.
34	SET LANGUAGE FOR MESSAGES
37	GET GENERAL DRIVER INFORMATION.
42	GET CURSOR HOT SPOT.
43	LOAD ACCELERATION CURVES.
44	READ ACCELERATION CURVES.
45	SET/GET ACTIVE ACCELERATION CURVE.
47	MOUSE HARDWARE RESET.
48	SET/GET BALLPOINT.
51	GET SWITCH SETTINGS.
52	GET MOUSE.INI

IMPORTANT NOTES:

- (1) FUNCTIONS 17, 18, 46 ARE INTERNAL FUNCTIONS AND SHOULD NOT BE CALLED DIRECTLY BY ANY APPLICATION.
- (2) ALTHOUGH FUNCTIONS EQUIVALENT TO THE MICROSOFT MOUSE DRIVER HAVE BEEN PROVIDED, NOT ALL PASSED PARAMETERS AND RETURN VALUES ARE THE SAME.
- (3) APPLICATION PROVIDED SUBROUTINES CALLED BY THE MOUSE DRIVER MUST PRESERVE ALL REGISTERS USED. UPON ENTRY TO A SUBROUTINE THE REGISTER VALUES ARE:-

- E - BUTTON REGISTER.
- A - CONDITION WHICH CAUSED SUBROUTINE CALL.
- B - INTERRUPT LOOP COUNT.
- C - MOUSE PORT NUMBER.
- H - CURRENT HORIZONTAL POS.
- L - CURRENT VERTICAL POS.
- IX - POINTER TO MOUSE VARIABLES.

USING THE MOUSE DRIVER FUNCTIONS:-

(A) WITH BASIC PROGRAMS

THIS IS EASY TO DO AS THE NEW COMMAND MOUSE() IS PROVIDED WHEN THE MOUSE DRIVER IS LOADED. REFER TO PART 1 FOR DETAILS OF THIS FUNCTION.

(B) WITH MACHINE CODE PROGRAMS

TO USE THE MOUSE DRIVER WITH M/C PROGRAMS AN ALTERNATE CALLING METHOD HAS BEEN PROVIDED. AS THE DRIVER IS RELOCATABLE, DIRECT ADDRESSING CANNOT BE USED TO CALL THE FUNCTIONS. AS WITH MY LAST PROJECT, KSCAN, IMPORTANT POINTERS ARE STORED IN THE COMMUNICATIONS REGION. THESE ARE:-

MPTR 31278-79: THIS POINTS TO THE DRIVER.
 MFUN 31280-82: THIS AIDS INTERNAL INDIRECT FUNCTION CALLS.
 MCAL 31283-85: THIS POINTS TO THE FUNCTION CALLING ROUTINE.
 PREG 31286-87: THIS POINTS TO THE MOUSE VARIABLES.

NOTE: THESE ADDRESSES CLASH WITH THE FIND ROUTINE BUT NOT KSCAN.

THE POINTER OF MAIN INTEREST IS MCAL. THIS ALLOWS A M/C ROUTINE TO CALL ANY OF THE MOUSE FUNCTIONS. THIS IS DONE AS FOLLOWS:-

```
LD IX, M1% (THE MOUSE FUNCTION NUMBER)
LD BC, M2% (THE FIRST PARAMETER)
LD DE, M3% (THE SECOND PARAMETER)
LD HL, M4% (THE THIRD PARAMETER)
CALL MCAL
```

GETTING AND RUNNING THE DRIVER:-

THE MOUSE DRIVER ACCEPTS COMMAND LINE OPTIONS. CURRENTLY ONLY TWO ARE SUPPORTED, THESE ARE -P AND -A. THE -A OPTION ALLOWS THE USER TO SPECIFY THE DESTINATION ADDRESS OF THE DRIVER. THE -P OPTION ALLOWS THE USER TO SPECIFY THE MOUSE PORT. NOTE THAT IF MORE THAN ONE OPTION IS SPECIFIED THEY MUST BE SEPERATED BY A SPACE.

EXAMPLES:

(I) BRUN"MD1.04" OR BRUN"MD1.04":

THIS INSTALLS THE DRIVER AT TOP OF MEMORY AND SELECTS THE DEFAULT MOUSE PORT (PORT 2).

(II) BRUN"MD1.04":-A49152 OR BRUN"MD1.04":-A49152:

THIS INSTALLS THE DRIVER AT ADDRESS 49152 AND SELECTS THE DEFAULT MOUSE PORT.

(III) BRUN"MD1.04":-P20 OR BRUN"MD1.04":-P20:

THIS INSTALLS THE DRIVER AT THE TOP OF MEMORY AND SELECTS PORT 20 AS THE MOUSE PORT.

(IV) BRUN"MD1.04":-P100 -A50000 OR BRUN"MD1.04":-A50000 -P100

THIS INSTALLS THE DRIVER AT ADDRESS 50000 AND SELECTS PORT 100 AS THE MOUSE PORT.

MISCELLANEOUS NOTES:-

(1) IN PART 1, I MENTIONED THAT THE MOUSE DRIVER WAS VERSION 1.03. IT HAS SINCE BEEN UPGRADED TO 1.04

(2) A NEW BOOK IS AVAILABLE AT ANGUS AND ROBERTSON BOOKSHOPS WHICH DESCRIBES THE FIRST 36 MOUSE FUNCTIONS. IT IS THE PROGRAMMERS QUICK REFERENCE MS-DOS EXTENSIONS BY RAY DUNCAN FROM MICROSOFT PRESS AND COSTS \$10-95.

PROBLEMS WITH THE MOUSE DRIVER (V1.04):-

THESE ARE NOT SERIOUS JUST ANNOYING:-

- (1) THE DRIVER OVERRIDES ANY OTHER INSTALLED INTERRUPT ROUTINE (INCLUDING KSCAN).
- (2) THERE IS CURRENTLY NO WAY TO TELL IF THE DRIVER IS LOADED.
- (3) DEPENDING ON THE NUMBER OF TIMES THE MOUSE IS POLLED PER INTERRUPT, THE INBUILT BASIC EDITOR CAN SLOW DOWN DRAMATICALLY.

SOLUTIONS:

THE FIRST TWO PROBLEMS WILL BE RESOLVED IN A FUTURE UPGRADE. ONCE THEY ARE RESOLVED, THE THIRD PROBLEM MAY BE SOLVED BY USING KSCAN RATHER THAN THE DEFAULT KEY SCANNING ROUTINE.

FUTURE SUGGESTIONS:

MY ARTICLE AND GARY BULLEY'S ARTICLE ARE ONLY TWO SOLUTIONS TO THE PROBLEM OF CONNECTING A MOUSE TO THE VZ. BOTH WASTE CPU TIME POLLING THE MOUSE FOR ACTIVITY, MAKING A DECISION AND THEN ACTING UPON THAT DECISION. WHAT IS REALLY REQUIRED IS A HARDWARE "ADDON" - A MOUSE CONTROLLER. THIS SHOULD MONITOR THE MOUSE, MAINTAIN ALL MOUSE VARIABLES, AND MAKE A DECISION ON AN ACTION TO BE TAKEN. IT SHOULD THEN INFORM THE CPU WHICH WILL PERFORM THE REQUIRED ACTION, SUCH AS MOVING THE MOUSE CURSOR

MOUSE DRIVER SOURCE CODE:

UNFORTUNATELY THE SOURCE CODE LISTING IS QUITE LENGTHY AND IS SIMPLY TOO LONG TO PUBLISH IN THE JOURNAL - SORRY ABOUT THAT. HOWEVER, BOTH THE SOURCE CODE AND EXECUTABLE ARE AVAILABLE FROM THE EDITOR, JOE LEON. PLEASE NOTE THAT ONLY AN EDITOR ASSEMBLER WITH THE DISKOPS6 PATCH CAN REGENERATE THE DRIVER.

DISKOPS6 PROVIDES AN OPTION TO LINK OBJECT CODE WHICH IS STORED IN DIFFERENT FILES. IT REQUIRES THE 64K EXPANSION MODULE. IF YOU WOULD LIKE A COPY OF THIS (YET ANOTHER!) VERSION OF EDAS IT CAN ALSO BE OBTAINED VIA THE EDITOR, ADDRESS BELOW.

JOSEPH P LEON 33 TIGHES TERRACE TIGHES HILL 2297 (049) 69 2399

EDITOR'S NOTE: THE OBJECT AND SOURCE CODES FILES FOR THE BUS MOUSE DRIVER ARE SHOWN BELOW.

B:MD1.04 01 00 7AE9 840D 0924 - MOUSE DRIVER

W:DRIVER28 02 0D A813 E11F 390C - 713 LINES

W:MBAS1.0 0A 01 A813 B8AB 1098 - 228 "

W:MASS1.0 0C 03 A813 F966 5153 - 974 "

1915 LINES SOURCE CODE

AS YOU CAN SEE THAT IS A LOT OF SOURCE CODE TO ENTER. IT WOULD TAKE ABOUT 15.5 PAGES AT 124 LINES PER PAGE AND WOULD TAKE ANOTHER 3 ISSUES TO PUBLISH. ALSO AS LESLIE ALREADY MENTIONED DISKOPS6, A 64K VERSION OF EDITOR ASSEMBLER AND A 64K MEMORY EXPANSION IS REQUIRED.

MOUSE DRIVER TEST PROGRAM

```

10 CLS:PRINT"TOT  =":PRINT PEEK(30897)+256*PEEK(30898)
20 PRINT"MPTR =":PRINT PEEK(31278)+256*PEEK(31279)
30 PRINT"PREG =":PRINT PEEK(31286)+256*PEEK(31287)
40 PRINT"MFUN =";
45 PRINT PEEK(31280);:PRINT PEEK(31281)+256*PEEK(31282)
50 PRINT"MCAL =";
55 PRINT PEEK(31283);:PRINT PEEK(31284)+256*PEEK(31285)
60 PRINT"INTR =";
65 PRINT PEEK(30845);:PRINT PEEK(30846)+256*PEEK(30847)

```

MOUSE DRIVER EXAMPLE PROGRAM

```

010 REM MOUSE DRIVER EXAMPLE
020 CLS
030 REM DISPLAY SELECTION MENU
040 PRINT"PLEASE SELECT:-"
050 PRINT
060 PRINTTAB(10);"1. DIR"
070 PRINTTAB(10);"2. STATUS"
080 PRINTTAB(10);"3. RENAME A FILE"
090 PRINTTAB(10);"4. FORMAT A DISK"
095 PRINT
100 MOUSE(0,0,0,0) 'RESET MOUSE
110 MOUSE(4,0,28,2) 'SET MOUSE POSITION
120 MOUSE(7,0,28,28) 'LIMIT CURSOR TO CURRENT COLUMN
130 MOUSE(8,0,2,5) 'LIMIT CURSOR TO ROWS 2 - 5
140 MOUSE(28,50,0,0) 'REDUCE MOUSE SENSITIVITY
150 MOUSE(1,0,0,0) 'DISPLAY MOUSE CURSOR
200 REM WAIT FOR MOUSE BUTTON PRESS
210 MOUSE(3,M2%,M3%,M4%) 'GET BUTTON PRESS INFO
220 REM CHECK FOR LEFT BUTTON PRESS
230 IF (M2%AND1)<>1,210
235 RS%=M4%:MOUSE(2,0,0,0) 'HIDE MOUSE CURSOR
240 REM PRINT THE STRING OF THE ROW SELECTED.
250 IF RS%=2,PRINT"DIR SELECTED"
260 IF RS%=3,PRINT"STATUS SELECTED"
270 IF RS%=4,PRINT"RENAME SELECTED"
280 IF RS%=5,PRINT"FORMAT SELECTED"

```

VZ BUS MOUSE INPUT PORT

AS MENTIONED PREVIOUSLY, YOU'LL HAVE TO MODIFY GARY BULLEY'S 8 BIT INPUT PORT OR BUILD THE ONE FEATURED WITH THIS ARTICLE. THE BUS MOUSE REQUIRES NO MODIFICATION AT ALL. IF YOU ELECT TO MODIFY GARY'S 8 BIT INPUT PORT FROM ISSUE # 30, PAGE 11 THEN TWO CHANGES ARE REQUIRED.

- 1) REMOVE DB15 PLUG AND WIRE UP DB9 MALE PLUG AS SHOWN ON NEXT PAGE. BE CAREFUL TO GET THE RIGHT SIGNAL TO THE RIGHT PIN ACCORDING TO DB9 DIAGRAM.
- 2) 07 ON INPUT SIDE OF 74LS245 (PIN 2) HAS TO BE GROUNDED. YOU CAN LEAVE CAPACITOR IN PLACE AS IT WILL BE EASIER THAN REMOVING IT.


NOTE: LEAVE PIN 19 OF 74LS245 CONNECTED TO PIN 10 OF 74LS158.

THE BUS MOUSE INPUT PORT BELOW WAS DESIGNED TO GO INSIDE A VZ200 OR VZ300 WITH BUS CONNECTIONS COMING FROM THE 30 WAY I/O EXPANSION CONNECTOR. I HAVE BUILT IT, BUT HAVEN'T GOT AROUND TO INSTALLING IT IN MY VZ AS YET. PINOUTS OF BOTH IC'S, DB9 AND 30 WAY EDGE CONNECTOR ARE GIVEN TO HELP INTENDING CONSTRUCTORS.

INPUT PORT SELECTION:

THIS HAS BEEN LEFT TO THE USER TO SELECT. YOU CAN USE I/O PORT ADDRESS SHOWN BY DOTTED LINE BETWEEN 74LS138, PIN 15 AND 74LS245, PIN 19. THE SQUARE MARKERS ON 74LS138 SHOW THE I/O ADDRESSES AVAILABLE. OR IF YOU WISH YOU CAN SELECT AN I/O DECODER FROM TECHNICAL DATA SHEET # 4, ISSUE 41, PAGE 18.

CONSTRUCTION SHOULD CAUSE NO PROBLEMS AS IT IS A FAIRLY SIMPLE PROJECT. LESLIE HAS PROVIDED A MOUSE DRIVER AND IT IS UP TO PROGRAMMERS TO ACCESS ITS FUNCTIONS FROM THEIR OWN PROGRAMS, ED.



```

00001 ;CHECK DISK ROUTINE
00002 ;SELECT DRIVE
00003 ;18:02:92
00004 ;PRINT USR(0) TO RERUN
00005 ;ORG.: 9000H
00006 LD HL,ST
00007 LD (788EH),HL
00008 ST CALL 01C9H
00009 LD HL,MES1
00010 CALL 2B75H
00011 A1 CALL 0049H
00012 CP 0DH
00013 JR Z,A1A
00014 CP 32H
00015 JR Z,TWO
00016 CP 31H
00017 JR NZ,A1
00018 LD A,10H
00019 JR T1
00020 TWO LD A,80H
00021 T1 PUSH AF
00022 DI
00023 CALL 4008H
00024 LD A,(IY+20)
00025 OR A
00026 JR Z,T2
00027 LD B,A
00028 CALL 403EH
00029 T2 CALL 400BH
00030 POP AF
00031 LD (IY+0BH),A
00032 A1A LD (IY+11H),0
00033 LD (IY+12H),0
00034 DI
00035 CALL 3450H
00036 CALL 4008H
00037 LD BC,0032H
00038 CALL 4038H
00039 A2 CALL 4035H
00040 OR A
00041 JR Z,A3
00042 LD HL,MES2
00043 JP END
00044 A3 INC (IY+11H)
00045 LD A,0FH
00046 CP (IY+11H)
00047 JR NZ,A2
00048 CALL 4035H
00049 OR A
00050 JP NZ,S1
00051 LD (IY+11H),0
00052 LD (IY+12H),1
00053 LD L,(IY+31H)
00054 LD H,(IY+32H)
00055 LD E,(IY+34H)
00056 LD D,(IY+35H)
00057 LD BC,0050H
00058 LDIR
00059 A4 DI
00060 CALL 4035H
00061 OR A
00062 JP NZ,ERR
00063 A4A INC (IY+11H)
00064 LD A,10H
00065 CP (IY+11H)
00066 JR NZ,A4
00067 LD (IY+11H),0
00068 INC (IY+12H)
00069 LD A,28H
00070 CP (IY+12H)
00071 JR NZ,A4
00072 LD L,(IY+31H)
00073 LD H,(IY+32H)
00074 PUSH HL
00075 LD (HL),0
00076 POP DE
00077 PUSH DE
00078 INC DE
00079 LD BC,007FH
00080 LDIR
00081 POP DE
00082 LD L,(IY+34H)
00083 LD H,(IY+35H)
00084 LD BC,0050H
00085 LDIR
00086 CALL WP
00087 LD (IY+11H),0FH
00088 LD (IY+12H),0
00089 CALL 4032H
00090 OR A
00091 JR Z,A5
00092 S1 LD HL,MES3
00093 JP END
00094 A5 LD L,(IY+31H)
00095 LD H,(IY+32H)
00096 LD DE,0
00097 LD C,4EH
00098 A6 LD B,8
00099 LD A,(HL)
00100 A7 RRC A
00101 JR C,A8
00102 INC DE
00103 A8 DJNZ A7
00104 INC HL
00105 DEC C
00106 JR NZ,A6
00107 PUSH DE
00108 PUSH DE
00109 POP HL
00110 CALL 0FAFH
00111 LD HL,MES4
00112 CALL 2B75H
00113 POP HL
00114 PUSH HL
00115 SRL H
00116 RR L
00117 SRL H
00118 RR L
00119 SRL H
00120 RR L

```

```

00121      CALL 0FAFH
00122      LD  A,2EH
00123      CALL 033AH
00124      POP HL
00125      LD  A,7
00126      AND L
00127      INC A
00128      LD  B,A
00129      LD  HL,0FF83H
00130      LD  DE,007DH
00131 A9    ADD  HL,DE
00132      DJNZ A9
00133      CALL 0FAFH
00134      LD  HL,MES5
00135 END    CALL 2B75H
00136      CALL 400BH
00137      JP  1A19H
00138 ERR   LD  L,(IY+34H)
00139      LD  H,(IY+35H)
00140      LD  A,(IY+12H)
00141      DEC A
00142      SLA A
00143      LD  E,A
00144      LD  D,0
00145      LD  A,(IY+11H)
00146      CP  8
00147      CCF
00148      ADC HL,DE
00149      AND 7
00150      INC A
00151      LD  B,A
00152      LD  C,(HL)
00153      RLC C
00154 A13   RRC C
00155      DJNZ A13
00156      SET 0,C
00157      LD  B,A
00158      RRC C
00159 A14   RLC C
00160      DJNZ A14
00161      LD  (HL),C
00162      JP  A4A
00163 WP    IN  A,(13H)
00164      BIT 7,A
00165      RET Z
00166      CALL 400BH
00167      EI
00168      LD  HL,WP1
00169      CALL 2B75H
00170      LD  HL,WP2
00171      CALL 2B75H
00172 FA    LD  A,(7AAFH)
00173      OR  A
00174      JR  NZ,FA
00175 K2    CALL 0049H
00176      CP  0DH
00177      JR  NZ,K2
00178      DI
00179      CALL 3450H
00180      CALL 4008H
00181      LD  BC,0032H
00182      CALL 4038H
00183      RET
00184 MES1  DEFB 1FH
00185 *      CHECK DISK*
00186      DEFB 0DH
00187 *      WRITTEN BY D.MITCHELL*
00188      DEFB 0DH
00189 *      LAST UPDATE : 18:02:92*
00190      DEFB 0DH
00191 WP2   DEFB 0DH
00192 *      PRESS RETURN OR 1 OR 2*
00193      DEFB 0DH
00194      NOP
00195 MES2  EQU $
00196 *ERROR IN DIRECTORY SECTORS
00197 * TRY REFORMATTING*
00198      DEFW 000DH
00199 MES3  EQU $
00200 *ERROR IN STATUS SECTOR TRY
00201 * REFORMATTING*
00202      DEFW 000DH
00203 MES4  EQU $
00204 * SECTORS FREE *
00205      NOP
00206 MES5  EQU $
00207 *K FREE*
00208      DEFW 000DH
00209      NOP
00210 WP1   EQU $
00211      DEFB 0DH
00212 *REMOVE WRITE PROTECT LABEL*
00213      NOP

```

THIS IS AN UPDATE OF ONE MY SMALL ROUTINES WHICH WAS PREVIOUSLY PUBLISHED IN ISSUE # 24, MAY/JUNE 1989. I USE CHECK DISK WHEN I GET AN INPUT/OUTPUT ERROR AFTER I HAVE INITIALIZED A DISK. THE PROGRAM READS EACH SECTOR OF THE DISK AND CHECKS FOR ERRORS. THIS PROGRAM DOES NOT STOP THE ERROR BUT IT WILL RETRIEVE SOME DISKS FROM THE SCRAP HEAP. THE PROGRAM WILL REDUCE THE STORAGE AREA ON THE DISK IF IT CANNOT FIND TRACKS OR SECTORS, THE AMOUNT OF FREE SPACE LEFT ON THE DISK (STATUS) WILL BE PRINTED TO THE SCREEN AT THE END OF THE PROGRAM.

WITH IBM & COMPATABLE COMPUTERS A CHECK IS MADE OF DISKS AFTER THEY ARE FORMATTED. IF SECTORS CANNOT BE FOUND, WHOLE TRACKS ARE LOCKED OFF FROM THE USER.

WITH THE VZ A CHECK IS ALSO MADE BUT WHEN ERRORS ARE FOUND IT PRINTS THE DREADED INPUT/OUTPUT ERROR.

CHECK DISK DOES NOT LOCK OFF WHOLE TRACKS JUST THE SECTORS THAT THE ERROR OCCURRED IN.

CHECK DISK CAN ALSO BE USED ON A DISK THAT HAS PROGRAMS STORED ON IT AS CHKDSK PLACES THE TRACK MAP INTO MEMORY AND READS THE DISK THEN SAVES THE MAP TO DISK.

IF YOU SAVE A PROGRAM AND GET AN I/O ERROR THEN ERASE THAT PROGRAM AND BRUN CHKDSK THIS SHOULD REPAIR THE ERROR.

AFTER THE CHKDSK PROGRAM HAS RUN A MESSAGE WILL APPEAR ON THE SCREEN PRESSING RETURN THE PROGRAM WILL CHECK THE DISK IN THE DRIVE THAT CHKDSK WAS LOADED FROM.

PRESSING THE 1 KEY WILL CHECK THE DISK IN DRIVE 1 AND PRESSING 2 KEY WILL CHECK THE DISK IN DRIVE 2.

WHEN THE 1 OR 2 KEYS ARE PRESSED THE DRIVE THAT CHKDSK WAS LOADED FROM WILL RESET TO TRACK ZERO BEFORE SELECTING THE RELEVANT DRIVE. AGAIN THIS IS TO TRY AND STOP THE BASHING OF THE DRIVE HEADS.

CHECKDISK 2 COMMANDS:

RETURN - WILL CHECK DISK FROM DRIVE CHKDSK2 WAS BRUN FROM.
 1 - WILL CHECK DISK IN DRIVE 1.
 2 - WILL CHECK DISK IN DRIVE 2.
 MAKE SURE THAT DRIVE 2 IS ACTIVATED OR VZ COULD HANG UP.
 QUIT - OPEN DRIVER DOOR, PRESS RETURN THEN PRESS (-) MINUS KEY AFTER WHICH AN ERROR MESSAGE WILL BE PRINTED OUT AND CAN BE IGNORED.
 RE-ENTER - PRINT USR(0)

PARK UPDATE BY DAVE MITCHELL

```

00001 ;PARK ROUTINE FOR TWO DRIVES
00002 ;WRITTEN BY D.MITCHELL
00003 ;LAST UPDATE : 20:06:92
00004 DI
00005 LD (IY+0),0
00006 LD A,(IY+11)
00007 CP 80H
00008 JR NZ,D1
00009 LD (IY+0),2
00010 LD A,(IY+20)
00011 OR A
00012 JR Z,D1
00013 PUSH AF
00014 CALL 4008H
00015 POP AF
00016 LD B,A
00017 CALL 403EH
00018 CALL 400BH
00019 D1 LD (IY+11),10H
00020 LD A,27H
00021 SUB (IY+20)
00022 JR Z,END
00023 PUSH AF
00024 CALL 4008H
00025 POP AF
00026 LD B,A
00027 CALL 403BH
00028 CALL 400BH
00029 END EI
00030 LD HL,MES
00031 CALL 2B75H
00032 LD A,(IY+0)
00033 OR A
00034 JR Z,A1
00035 LD (IY+0),0
00036 LD HL,TWO
00037 JR A2
00038 A1 LD HL,ONE
00039 A2 CALL 2B75H
00040 JP 1A19H
00041 MES DEFB 1FH
00042 * DRIVE PARK ROUTINE*
00043 DEFB 0DH
00044 * WRITTEN BY D.MITCHELL*
00045 DEFB 0DH

```

```

00045      DEFB 0DH          00052      DEFB 0DH
00046 *    LAST UPDATE: 20.06.92*  00053 ONE EQU $
00047      DEFB 0DH          00054 *    DRIVE 1 PARKED AT TRACK*
00048      NOP              00055 * 39*
00049 TWO EQU $            00056      NOP
00050 *    DRIVE 2 PARKED AT TRACK*  00057      NOP
00051 * 00*

```

SAVE YOUR OBJECT CODE AS PARK2 SO IT WONT GET MIXED UP WITH OTHER VERSIONS AND WHEN YOU RUN PARK2 YOU'LL SEE ONE OF TWO DISPLAYS SHOWN BELOW DEPENDING FROM WHICH DRIVE YOU LOADED PARK2 FROM.

```

DRIVE PARK ROUTINE
WRITTEN BY D.MITCHELL
LAST UPDATE: 20.6.92
DRIVE 2 PARKED AT TRACK 00
DRIVE 1 PARKED AT TRACK 39
READY

```

```

DRIVE PARK ROUTINE
WRITTEN BY D.MITCHELL
LAST UPDATE: 20.6.92
DRIVE 1 PARKED AT TRACK 39
READY

```

EDITORS NOTE: AS A REGULAR VZ USER I USE PARK VERY FREQUENTLY TO RESET MY VZ WITHOUT BANGING THE DRIVE HEADS AND DIMINISHING IT'S LIFE EXPECTANCY. MOST OF MY BASIC PROGRAMS HAVE A "QUIT & PARK" OPTION WHICH I USE TO EXIT THE PROGRAM. THEN THE VZ GETS TURNED OFF OR THE RESET BUTTON IS PRESSED TO CLEAR MEMORY AND I LOAD ANOTHER PROGRAM. EITHER WAY THERE'S NO MORE HEAD BANGING. HAPPY PARKING!

CONVERTING SOURCE CODE UPDATE

DAVE MITCHELL HAS MODIFIED HIS EDITOR ASSEMBLER SO IT WILL ALSO LOAD W:SOURCE & A:SOURCE CODE FILES WITHOUT MODIFICATION.

AT LONG LAST IN-COMPATIBILITY IS NO LONGER A PROBLEM FOR ONE EDITOR ASSEMBLER AND I HOPE OTHER AUTHORS WILL FOLLOW SUIT. BELOW ARE THE COMMANDS USED TO LOAD THE VARIOUS SOURCE CODE FILES.

```

TL:FILENAME WILL LOAD DM(S) & MH(S) SOURCE CODE FILES.
TM:FILENAME WILL LOAD RH(A) & LM(W) SOURCE CODE FILES.

```

NOTE: THE COMMAND TM: IS NORMALLY USED TO MERGE SOURCE CODE FILES, ED.

EXT DOS V12.1 UPDATE

THE FOLLOWING COMMANDS AND ENHACEMENTS HAVE BEEN MADE TO EXT12.1 WHICH IS NOW KNOWN AS EXT12.2.

```

DIS? - NUMBER OF BYTES AND FILES HAS BEEN ADDED.
LDIS? - AS DIS? EXCEPT ALL OUTPUT GOES TO THE PRINTER.
EREL"FILENAME".XXXX - RELOCATES END OF FILE

```

THIS COMMAND IS SIMILIAR TO REL"FILENAME". EXCEPT IT END RELOCATES A FILE. THE FILENAME AND NEW END ADDRESS IS REQUIRED. A NEW START ADDRESS IS AUTOMATICALLY CALCULATED AND BOTH THE NEW START AND END ADDRESSES ARE PLACED INTO THE DISK DIRECTORY. SEE EXAMPLE BELOW.

SAMPLE FILE - W:MOUSE3 18 02 D861 FE00 259F - R. HARRISON WP FILE

COMMAND: - EREL"MOUSE3".D000 - USE HEX NUMBERS ONLY.

RESULT: - W:MOUSE3 18 02 AA61 D000 259F - D. MITCHELL WP FILE

MOST OF YOU WILL NEVER USE THE EREL COMMAND UNLESS YOU GET RUSSELL HARRISON WP FILE/S AND YOU ONLY HAVE DAVE MITCHELL'S WP. A RH.WP FILE WOULD OVER-WRITE DAVE MITCHELL'S WP RESERVED MEMORY AREA ABOVE D000 AND HANG UP PROGRAM. EREL WILL SOLVE THAT PROBLEM NEATLY.

INTRODUCTION TO PROGRAMMING 42-15 PART I BY BOB KITCH

I HAVE BEEN ASKED TO CONTRIBUTE A SERIES ON BASIC PROGRAMMING FOR VZ USERS. SO HERE GOES.

FIRSTLY, THE SERIES WILL BE UNCONVENTIONAL. MOST INTRODUCTIONS TO BASIC PROCEED BLOW-BY-BLOW THROUGH THE VARIOUS BASIC COMMANDS. I WILL NOT - MANY TEXTS EXIST WHICH CAN EXPLAIN THESE BETTER THAN I CAN.

SECONDLY, THE SERIES WILL INITIALLY BE NON-SPECIFIC TO ANY PARTICULAR COMPUTER LANGUAGE. GENERAL PROGRAMMING CONCEPTS AND GUIDELINES WILL BE OFFERED. THE PRINCIPLES WILL BE EQUALLY APPLICABLE TO BASIC, ASSEMBLER, PASCAL OR WHATEVER.

THIRDLY, ADVANCED PROGRAMMING CONCEPTS AND HINTS WILL BE OFFERED AS THEY ARE NEEDED. THIS IS THE BEST TIME TO INTRODUCE THESE SINCE THEIR MYSTIQUE IS REMOVED.

FOURTHLY, EARLY EMPHASIS WILL BE ON PLANNING, ORGANISING AND MAINTAINING A PROGRAM, RATHER THAN ENCOURAGING FEVERISH CODING AT THE KEYBOARD (WHICH IS USUALLY COMMENCED TOO EARLY BY BEGINNERS).

IT IS QUITE POSSIBLE TO RECOGNISE A BREED OF COMPULSIVE PROGRAMMERS, BORN FROM THE HOME MICRO BOOM. THIS BREED, IS EMERGING FROM THE BRAVE NEW WORLD OF TOMORROW'S TECHNOLOGY WHOSE REASON FOR EXISTENCE IS SIMPLY TO PROGRAM. PEOPLE BECOME TOTALLY FASCINATED BY THE UNLIMITED ABSTRACT WORLD THAT THE INSIDE OF A COMPUTER OFFERS.

WE CAN CREATE A UNIVERSE OR ANY WORLD INSIDE A MACHINE. IN THE ABSTRACT WORLD OF PROGRAMMING, A WELL THOUGHT OUT PROGRAMMING METHOD SERVES AS A MAP, AND THE TECHNIQUES OF SOFTWARE ENGINEERING ARE THE WEAPONS. THESE THEN ARE THE MAIN THREADS OF THIS SERIES.

LET'S COMMENCE THIS MONTH WITH A FEW DEFINITIONS AND CONCEPTS TO PONDER OVER UNTIL THE NEXT INSTALLMENT.

THE COMPUTER IS A MACHINE, AND IS ONLY CAPABLE OF DOING SIMPLE WORK. IT HAS BEEN TERMED BY SOME AS "A REMARKABLY EFFICIENT COUNTING MACHINE WITH A LARGE MEMORY - BUT NO BRAINS!" IT HAS NO INTELLIGENCE AND CANNOT THINK.

A COMPUTER SYSTEM CONSISTS OF FOUR ELEMENTS :-

1. THE CENTRAL PROCESSOR UNIT (IN THE VZ IT IS THE Z-80A MICROPROCESSOR CHIP) WITH "PRIMARY MEMORY" (ROM AND UP TO 34K RAM).
2. INPUT DEVICES - KEYBOARD, CASSETTE, DISK AND SO ON.
3. OUTPUT DEVICES - SCREEN, PRINTER, CASSETTE, DISK, IN-BUILT SPEAKER, VOICE AND SOUND SYNTHESISERS ETC.
4. "SECONDARY MEMORY" - NOT ESSENTIAL BUT MAY BE CASSETTE OR DISK WHEN USED TO UPDATE OR RELIEVE PRIMARY MEMORY.

MAN-MACHINE INTERFACE. THE INTERACTION BETWEEN MAN-MACHINE INPUTS AND OUTPUTS IS A CONTINUOUS AND CIRCULAR FEEDBACK PROCESS. E.G. MAN OUTPUT (KEYPRESS) IS MACHINE INPUT ..OR.. MACHINE OUTPUT (SCREEN PROMPT) IS MAN INPUT- ..AND SO ON. THIS INTERACTION FORMS THE BASIS OF USING COMPUTERS.

THE FOUR FOLD SUBDIVISION OF A COMPUTER SYSTEM IS LITTLE DIFFERENT TO OUR OWN MENTAL CAPABILITIES. THE CPU AND PRIMARY MEMORY IS BROADLY EQUIVALENT TO OUR MIND. THE I/O DEVICES ARE SIMILAR TO OUR SENSES (TOUCH, TASTE, SIGHT, SENSE OF HEAT, SPEAKING, HEARING).

THE SECONDARY MEMORY IS DIRECTLY COMPARABLE TO OUR USE OF EXTERNAL AIDS TO ASSIST OUR MEMORY, SUCH AS NOTE BOOKS, FILING CABINETS OF INFORMATION, TELEPHONE DIRECTORIES - ALL OF WHICH HAVE SLOW ACCESS AND ARE DIFFICULT TO RECALL COMPARED WITH THINGS ALREADY RESIDENT IN OUR MIND.

COMPUTER PROCESSES OR CAPABILITIES ARE SURPRISINGLY FEW IN NUMBER. THERE ARE ONLY FOUR AND UNLESS AN EXERCISE OR PROBLEM CAN BE BROKEN DOWN INTO THESE ELEMENTARY PROCESSES, THEN CODING OF THE PROGRAM SHOULD NOT COMMENCE. A GREATER UNDERSTANDING OF THE PROBLEM IS REQUIRED BEFORE PROCEEDING.

IT IS IMPORTANT TO CLEARLY DISTINGUISH TWO THINGS WHILST PROGRAMMING. THE FIRST, IS TO DEVISE A LOGICAL SOLUTION TO THE PROGRAMMING EXERCISE, WHICH IS QUITE INDEPENDENT OF THE PARTICULAR LANGUAGE TO BE USED. THE SECOND, IS THE ACTUAL CODING OF THE EXERCISE BEING UNDERTAKEN. THE LATTER STAGE IS EASY, PROVIDED THAT THE FORMER IS WELL UNDERSTOOD.

THE COMPUTER PROGRAM WILL ONLY FUNCTION CORRECTLY IF THE LOGIC OF THE PROGRAM IS CORRECT, AND THERE ARE NO AIDS OR DIAGNOSTICS AVAILABLE FROM THE MACHINE TO ASSIST IN ACHIEVING CORRECTNESS IN THIS DEMANDING ASPECT OF PROGRAM DESIGN. SOME DIAGNOSTICS ARE HOWEVER AVAILABLE TO ASSIST IN THE CODING PORTION OF THE TASK - SUCH AS THE SYNTAX CHECKING.

AS ONE BECOMES MORE FAMILIAR WITH PROGRAMMING LANGUAGES IT IS SOON APPARENT THAT MANY OF THE POWERFUL COMMAND STRUCTURES ARE SIMPLY MACRO INSTRUCTIONS FORMED FROM THESE FEW "PRIMITIVES".

THE FOUR PROCESSES ARE :-

1. INPUT DATA AND STORE IT IN PRIMARY MEMORY - THE DATA MAY BE EITHER "RAW" DATA INPUT (E.G. FROM KEYBOARD) OR READ-IN FROM THE SECONDARY STORE. (E.G. TAPE).
2. OUTPUT DATA ALREADY STORED IN PRIMARY MEMORY - EITHER AS "OUTPUT" (E.G. TO SCREEN) OR WRITTEN-OUT TO SECONDARY MEMORY (E.G. TAPE).
3. PERFORM SIMPLE ARITHMETIC PROCEDURES (ADDITION OR SUBTRACTION) UPON DATA IN PRIMARY MEMORY ONLY.
4. PERFORM LOGICAL COMPARISONS (DISJUNCTION, CONJUNCTION AND NEGATION) BETWEEN TWO ITEMS OF DATA IN PRIMARY MEMORY.

(REMEMBER - I/O, ARITHMETIC, COMPARISONS ONLY)

TO CONTINUE THE ANALOGY WITH OURSELVES, I DOUBT WHETHER WE CAN DO ANYTHING MORE THAN THESE OPERATIONS EXCEPT THAT WE USE EXPERIENCE. THE COMPUTERS' ANALOGUE OF THIS IS THE PROGRAM AS IT POSSESSES ZERO INTELLIGENCE.

THE PROGRAMMING TASK IS TO UTILIZE THE HIGH SPEED AND LARGE MEMORY CAPACITY OF A COMPUTER SYSTEM TO DO SOMETHING USEFUL - SUCH AS CARRY OUT CALCULATIONS (NUMBER CRUNCHING), PLAY GAMES, MONITOR HOUSE SECURITY ETC.

THE SPECTRUM OF TASKS INVOLVED IN PROGRAMMING IS VERY BROAD, SO LITTLE WONDER THAT BEGINNERS HAVE TROUBLE GRASPING THE ESSENTIALS, OR THAT MANY PROGRAMS ARE "BADLY" WRITTEN. THE TASK INVOLVES TAKING AN IDEA OR CONCEPT AND TRANSLATING THAT INTO A SYMBOLIC (PROGRAM STATEMENT) FORM OF REPRESENTATION.

AN INTERMEDIATE STAGE IN THIS TRANSLATION OFTEN INVOLVES MODELLING THE PHENOMENON BEING PROGRAMMED. THIS PSYCHOLOGICALLY INVOLVES MOVING FROM CONCRETE CONCEPTS TO VARIOUS LEVELS OF ABSTRACTION - AGAIN A VERY DIFFICULT THING FOR, PARTICULARLY YOUNG, MINDS TO MASTER.

THE TRANSITION FROM AN IDEA TO A PROGRAM CAN SELDOM BE ACHIEVED IN ONE LEAP - MORE OFTEN A NUMBER OF INTERMEDIATE STEPS ARE REQUIRED. LIKEN IT TO WRITING AN ESSAY WHERE DRAFTS AND NOTES ARE USED BEFORE THE FINAL PROSE IS PRODUCED. FORTUNATELY A NUMBER OF USEFUL TOOLS HAVE BEEN DEVELOPED TO ASSIST IN PRODUCING A GOOD PROGRAM.

IN MY VIEW, ONE OF THE GREATEST PITFALLS OF THE HOME COMPUTER BOOM IS THAT THESE INTERMEDIATE STEPS ARE NOT UNDERSTOOD BY USERS SO THAT, AT LEAST, BAD PROGRAMS AND, AT WORST, DISILLUSIONED PROGRAMMERS RESULT. MANY OF THESE PEOPLE MAY FIND THEIR WAY INTO THE COMPUTER INDUSTRY OF THE FUTURE.


THERE IS ALWAYS MORE PERSONAL SATISFACTION IN ACHIEVING A "GOOD" JOB EVEN IF IT IS ONLY A GAMES PROGRAM FOR THE KIDS. IT IS ALSO MORE FUN, (THE ESSENCE OF HOME MICROS) AS THERE IS LESS HASSLE IN GETTING A PROGRAM TO RUN, AND MORE TIME FOR MORE PROGRAMS.

IN THE MICROCOMPUTER ENVIRONMENT WHERE THERE ARE ALWAYS HARDWARE LIMITATIONS, IT MEANS THAT IT IS VERY DIFFICULT TO COMPLETELY SEPERATE HARDWARE AND SOFTWARE ASPECTS OF THE PROGRAMMING TASK. THE PROGRAMMER MAY HAVE TO GET "CLOSE TO THE HARDWARE" - USUALLY DUE TO HARDWARE/MEMORY LIMITATIONS OR RESTRICTED I/O CAPABILITIES. DON'T SHY AWAY FROM HARDWARE BY SAYING "BUT I AM ONLY INTERESTED IN WRITING PROGRAMS" AS THE TWO ARE SOMEWHAT INSEPERABLE.

NEXT ISSUE WE WILL LOOK AT THE VARIOUS STAGES IN THE PROGRAMMING TASK, OR HOW TO APPROACH A PROGRAMMING EXERCISE. (SEE, NO MENTION OF BASIC CODE IN THIS ARTICLE!)

FINALLY, I WOULD LIKE TO OFFER TO USERS THAT YOUR PROGRAMMING QUERIES WILL BE ANSWERED IF YOU WRITE TO ME - WITH A SAE, PLEASE. IN THIS MANNER YOU SHOULD GET WHAT YOU WANT AND I WILL OBTAIN A FEEL FOR THE TYPE OF PROBLEMS USERS IN THE HUNTER VALLEY ARE EXPERIENCING.



WRITE TO: BOB KITCH 7 EURELLA ST KENMORE QLD 4069



The diagram explaining some of the more sophisticated aspects of computer design and management.

VZ200 PRINTER INTERFACE
(EARLY VERSION)

VZ200 PRINTER INTERFACE







MEMORY ADDRESS DECODING



19-6-1988

DECODE-4


...64K DECODING IN 2K BLOCKS...




...64K DECODING IN 4K BLOCKS...




...64K DECODING IN 8K BLOCKS...



...64K DECODING IN 16K BLOCKS...



...64K DECODING IN 32K BLOCKS...



E & F WP PATCH 3.3: \$20.00 PATCH 3.3 WRITTEN BY DAVE MITCHELL WILL CONVERT YOUR E & F TAPE WORD PROCESSOR FOR FULL DISK USE WHILE RETAINING ALL ORIGINAL FUNCTIONS. IT ALSO HAS SHIFT LOCK AND PRINTER CONTROL CODES WHICH CAN BE IMBEDDED IN TEXT AND SAVED TO TAPE OR DISK. **BSTWP.F:** THIS UTILITY PROVIDED WITH PATCH 3.3 WILL CONVERT BASIC PROGRAMS AND ED/ASS. SOURCE CODE FILES INTO WORD PROCESSOR FILES.

EXTENDED DOS V1.3: \$15.00 THESE COMMANDS ARE AT YOUR DISPOSAL: MERGE, DIRA, DIRB, LDIRB, OLD, OLD., DEC, HEX, MENU, CODE, LTAB, MOVE AND UPDATE, STATUSA AND LSTATUSA. STATUSA AND LSTATUSA ALSO WORKS WITH VERSION 1.0 DOS

MENU/FILE COPIER - \$15.00 THIS UTILITY WILL READ YOUR DISK DIRECTORY AND PRESENT YOU WITH SEVERAL OPTIONS. USING THE CURSOR YOU CAN RUN/BRUN ANY PROGRAM OR SELECT FILE COPY, REN, ERASE, DRIVE 1 OR 2, ETC. BESIDES COPYING TEXT AND BINARY FILES ALL OTHER FILES CAN BE COPIED AS WELL EXCEPT FOR DATA FILES.

PRICES INCLUDE POSTAGE - FOR PURCHASE OR INFORMATION CONTACT:
DAVE MITCHELL 24 ELPHINSTONE STREET NORTH ROCKHAMPTON 4701
QUEENSLAND AUSTRALIA - PHONE: (079) 27 8519

CONTRIBUTIONS TO THE JOURNAL

IF YOU ARE THINKING OF CONTRIBUTING TO THE JOURNAL THE PREFERRED FORMAT IS BASIC LISTINGS, WORD PROCESSOR OR SOURCE CODE FILES ON TAPE OR DISK. FILES FROM THE FOLLOWING WORD PROCESSORS CAN BE ACCEPTED :-

E & F TAPE OR DISK PATCH 3.1-3.3, WORDPRO CARTRIDGE, WORDPRO PATCH, ALL SOURCE CODE FILES AND ALL QUICKWRITE WORD PROCESSOR FILES.

CLUB MEETINGS - ALL WELCOME FIRST FRIDAY OF MONTH

MEETINGS WILL BE ONCE A MONTH. BECAUSE SOME LOCAL MEMBERS WORK SHIFTWORK MEETING DATES WILL BE ADJUSTED TO ACCOMODATE THEM. WHETHER YOU ARE A LOCAL MEMBER, INTRA OR INTERSTATE VISITOR PLEASE CHECK WITH JOE LEON FIRST.

HUNTER VALLEY VZ JOURNAL SUBSCRIPTIONS

SUBSCRIPTION TO - AUST. - 3 ISSUES \$11.00 - 6 ISSUES \$21.00
H.V.VZ.JOURNAL - N. Z. - 3 ISSUES \$13.00 - 6 ISSUES \$26.00
PRICES INCLUDE POST & PACKING

FOR MORE INFORMATION ON MEETINGS AND SUBS CONTACT:
JOE LEON 33 TIGHES Tce TIGHES HILL 2297 (049) 692 399 AUSTRALIA

VZ USER GROUPS & PUBLICATIONS

VZ DOWN UNDER - ISSUE # 40 WILL BE THE LAST
NOTE: SEE PAGE 3 FOR MORE DETAILS.

WAVZ - WESTERN AUSTRALIA VZ USER GROUP
GRAEME BYWATER PO BOX 388 MORLEY W A 6062

BRISBANE VZ USERS WORKSHOP - C/O 63 TINGALPA ST. WYNUM WEST 4178
SOFTWARE FOR SALE - DISK MENU

SAPPHIRE PRODUCTIONS - VZ DISK MAGAZINE - PUBLIC DOMAIN
NOTE: VZ DISK MAGAZINE HAS CEASED PRODUCTION

NOTE: WHEN WRITING TO ANY ABOVE OR H.V.VZ. USERS' GROUP FOR INFORMATION PLEASE ENCLOSE A S.S.A.E. OR NZ 2 INT. REPLY COUPONS.